



Home | Login | Logout | Access Information  
Siter

Welcome United States Patent and Trademark  
Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE  
GUIDE

Results for "(((erase or erasure) and count)<in>metadata)"

☑ e-mail

Your search matched **15** of **1253851** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in  
**Descending** order.

## » Search Options

View Session History

New Search

## Modify Search

(((erase or erasure) and count)<in>metadata)

□ Check to search only within this results set

Display  
Format:

☉ Citation ○ Citation & Abstract

## » Key

**IEEE JNL** IEEE Journal or Magazine

**IEE JNL** IEE Journal or Magazine

**IEEE CNF** IEEE Conference Proceeding

**IEE CNF** IEE Conference Proceeding

**IEEE STD** IEEE Standard

## Select Article Information

- 1. **Bounded distance+1 soft-decision Reed-Solomon decoding**  
Berlekamp, E.;  
Information Theory, IEEE Transactions on  
Volume 42, Issue 3, May 1996 Page(s):704 - 720  
Digital Object Identifier 10.1109/18.490539  
AbstractPlus | References | Full Text: PDF(1524 KB) IEE
- 2. **Design of the (248,216) Reed-Solomon decoder with erasure correction for Blu-ray disc**  
Taegeun Park;  
Consumer Electronics, IEEE Transactions on  
Volume 51, Issue 3, Aug. 2005 Page(s):872 - 878  
Digital Object Identifier 10.1109/TCE.2005.1510497  
AbstractPlus | Full Text: PDF(188 KB) IEEE JNL
- 3. **Cutoff rate of MPPM in noiseless photon counting channels**  
Ohtsuki, T.; Yashima, H.; Sasase, I.; Mori, S.;  
Communications, Computers and Signal Processing, 1991.,  
Rim Conference on  
9-10 May 1991 Page(s):99 - 102 vol.1  
Digital Object Identifier 10.1109/PACRIM.1991.160691  
AbstractPlus | Full Text: PDF(240 KB) IEEE CNF
- 4. **Information rates of photon-limited overlapping pulse position modulation channels**  
Bar-David, I.; Kaplan, G.;  
Information Theory, IEEE Transactions on  
Volume 30, Issue 3, May 1984 Page(s):455 - 464  
AbstractPlus | Full Text: PDF(1304 KB) IEEE JNL
- 5. **An embedded silicon nanocrystal nonvolatile memory for technology node operating at 6V**  
Muralidhar, R.; Steimle, R.F.; Sadd, M.; Rao, R.; Swift, C.T.  
Yater, J.; Grieve, L.; Harber, K.; Hradsky, B.; Straub, S.; A...

## WEST Search History

DATE: Wednesday, November 02, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L4	L3 same (differential or delta or difference)	3
<input type="checkbox"/>	L3	l1 same L2	136
<input type="checkbox"/>	L2	nonvolatile or non-volatile or flash or eprom or eeprom	354304
<input type="checkbox"/>	L1	(erase or erasure) near2 count	386

END OF SEARCH HISTORY

# WEST Search History

DATE: Wednesday, November 02, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=EPAB,JPAB,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L1	(differential or delta or difference) near2 (erase\$1 or erasure\$1)	71

END OF SEARCH HISTORY

# WEST Search History

DATE: Tuesday, November 01, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L8	(differential or difference or delta) near3 L7	186
<input type="checkbox"/>	L7	erasure\$1	21429
<input type="checkbox"/>	L6	l2 same base	6
<input type="checkbox"/>	L5	difference near2 l2	4
<input type="checkbox"/>	L4	delta near2 l2	0
<input type="checkbox"/>	L3	differential near2 L2	1
<input type="checkbox"/>	L2	erase count	97
<input type="checkbox"/>	L1	nonvolatile or non-volatile or flash or eprom or eprom	354304

END OF SEARCH HISTORY